Page 1 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PFI-101B

**Product Code:** 0891B

**Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 2	COMII OBI	11011/1	MORMATIC	IN ON INGKE	DIENTS		
< Ingredient(s) > Chemical Name / Generic Name	CAS #/ EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Diethylene glycol	111-46-6 / 203-872-2	5 - 10	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha[1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8 IC1651-0202



## MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

0891B

### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

### **Emergency Overview:**

Ink tank containing violet liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

# **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause mild irritation. (See SECTION 11)

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

### **Chronic Effects:**

Not identified

### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

# SECTION 4 FIRST AID MEASURES

### First Aid Measures:

### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

## Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

## Note to Physicians:

None

Page 3 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

SECTION 5	FIRE FIGHTING MEASURES			
Fire Fighting Meas	sures:			
Extinguishing 1				
$CO_2$ , water, f	oam or dry chemicals			
Unsuitable Ext None	inguishing Media:			
Special Fire Fig None	ghting Procedures:			
Unusual Fire a None	nd Explosion Hazards:			
Fire and Explosive	Properties (See also Section 9):			
_	mbustion Products:			
$CO, CO_2, NO$	Ox and SOx			
Other Properti	es:			
None				
SECTION 6	ACCIDENTAL RELEASE MEASURES			
<b>Personal Precautio</b>	ns:			
	Avoid contact with skin, eyes and clothing.			
Avoid breathing	vapor and mist.			
Environmental Pro	ceautions: o sewer, surface water or ground water.			
Method for Clean				
wipe off with w	et cloth or paper.			
SECTION 7	HANDLING AND STORAGE			
Handling:				
Avoid breathing	vapor and mist.			
Use with adequa				
Avoid contact w	ith skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.			
Storage:				
Keep in a cool a				
Protect from sun	light.			
Specific Uses:	• .			
Ink for Ink Jet P	ation, please refer to the instruction of this product.			
Tol more miorn	ation, please refer to the histraction of this product.			
SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION			
Exposure Guidelin Not established	es: for this ink. (See also SECTION 2)			
<b>Engineering Contr</b>	ols:			
Use adequate ve				
<b>Personal Protectio</b>	n Equipment(s):			
	rotection: ☐ Required  Not Required			
Eye/Face Proto	ection: Required  Not Required			
Skin Protection				
DKIII I IUUCUU	Not Required   Not Required			

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

SECTION 9 PHYSICAL AND CH	HEMICAL PROPERTIES
Appearance:	Violet liquid
Odor:	Slight odor
pH:	9 - 10
<b>Boiling Point/Range(°C):</b>	Not available
<b>Melting Point/Range(°C):</b>	Not available
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available
Flash Point(°C):	Estimate: None
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ( $^{\circ}$ C):	Not available
Flammability:	Neither flammable nor combustible.
<b>Explosive Properties:</b>	Estimate: None
Oxidizing Properties:	Estimate: None
Vapor Pressure :	Not available
Vapor Density:	Not available
<b>Density / Specific Gravity:</b>	1.0 - 1.1
Water Solubility:	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
<b>Evaporation Rate:</b>	Not available
Viscosity (mPa s):	1 - 5
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	<b>⊠</b> Stable
Seasmey.	Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx
<b>Hazardous Polymerization:</b>	May Occur
	₩ill Not Occur
Conditions to Avoid:	None

Page 5 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202

Product Code:

0891B

# SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

**Sensitization:** 

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

SECTION 12	ECOLOGICAL INFORMATION				
<b>Mobility:</b>	Not available				
Persistence / Degradability:	Not available				
<b>Bioaccumulation:</b>	Not available				
<b>Ecotoxicity:</b>	Not available				
Other Adverse Effe	ects: Not available				
SECTION 13	DISPOSAL CONSIDERATIONS				
Method of Disposal:  Disposal should be subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
<b>UN Shipping Name</b>	: None				
<b>UN Classification:</b>	None				
<b>UN Packing Group</b>	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No				
<b>Special Precautions</b>	None None				
SECTION 15 REGULATORY INFORMATION < EU Information >					
Information on the	Label:				
Symbol & Indic	cation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Component(s): Not required					
Special Precautions under 1999/45/EC Annex V:					
Safety data sheet available for professional user on request.					
~					
-	in Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
76/769/EEC: (EC)2037/2000:	Not regulated  Not regulated				
76/769/EEC:	Not regulated				

Page 7 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

**Hazard warning:** 

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

Section 15



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1651-0202
Product Code: 0891B

Page 8 of 8

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.