

MSDS #: _ Product Code: IC1855-0201

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank PFI-703BK

Product Code: 2963B

Company Name: Canon Europe N.V.

Address: Bovenkerkerweg 59-61, Amstelveen, 1185XB, The Netherland

Use of the Product: Ink for Ink Jet Printer

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause moderate irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified



MSDS #: <u>IC1855-0201</u> Product Code: 2963B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) >							
Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Substituted naphthalene sulfonic acid	Confidential	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



MSDS #: ____ Product Code: IC1855-0201

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

	MSDS #:	IC1855-020	
ъ	1 . 0 1	20.621	

SECTION 8 EXPOSURE CONT	ROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not establish	Not established for this ink. (See also SECTION 3)				
	te ventilation.				
Personal Protection Equipment(s):	I May and I				
Respiratory Protection: Require	<u> </u>				
Eye/Face Protection: Require	<u> </u>				
Skin Protection: Required Not Required					
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Black liquid				
Odor:	Slight odor				
pH:	8 - 11				
Boiling Point/Range(°C):	Not available				
Melting Point/Range($^{\circ}$ C):	Not available				
Decomposition Temperature (°C):	Not available				
Flash Point(°C):	None (Estimate)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature (°C):	Not available				
Flammability:	Neither flammable nor combustible.				
Explosive Properties:	None (Estimate)				
Oxidizing Properties:	None (Estimate)				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
Density / Specific Gravity:	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water	·):Not available				
Percent Volatile (%):	60 - 80				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1 - 5				
SECTION 10 STABILITY AND F	REACTIVITY				
Stability:	Stable □ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				



MSDS #: __ Product Code: IC1855-0201

2963B

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Moderately irritating (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

Mild irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

Sensitization:

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1855-0201
Product Code: 2963B

SECTION 12 E	COLOGICAL INFORMATION			
Mobility:	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
Ecotoxicity:	Not available			
Other Adverse Effec	cts: Not available			
	ISPOSAL CONSIDERATIONS			
Method of Disposal:				
Disposal should b	be subject to federal, state and local laws.			
SECTION 14 T	RANSPORT INFORMATION			
UN #:	None			
UN Shipping Name:	None			
UN Classification:	None			
UN Packing Group:	None			
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No			
Special Precautions: None				
SECTION 15 REGULATORY INFORMATION < EU Information >				
Information on the				
Symbol & Indication: Not required				
R-Phrase:	Mot required			
Not required				
S-Phrase:				
Not required				
Dangerous Com	ponent(s):			
Not required	V J 1000/45/EC A			
Special Precautions under 1999/45/EC Annex V: Safety data sheet available for professional user on request.				
	in Relation to Protection of Man or the Environment:			
76/769/EEC:				
	Not regulated			
(EC)2037/2000:				
(EC)689/2008:	Not regulated			
Others:	None			

IC1855-0201



MATERIAL SAFETY DATA SHEET

MSDS #: ____ Product Code:

2963B

< USA Information >

Information on the Labelunder OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

This safety data sheet (SDS) is not for the professional user described under Directive 1999/45/EC. (See SECTION 15)

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

SECTION 15

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).



MSDS #: <u>IC1855-0201</u> Product Code: 2963B

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)689/2008, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.